

PROJECTEURS

FLOODLIGHTS

- **DUVAR** 72
- **VERTIGO COB** 73
- **ZEPPELIN** 74
- **IRON** 75

Projecteur en aluminium tourné avec POWER LED.
 Pour l'éclairage d'accentuation ou de services pour le commerce de détail, les jardins et les façades architecturales.
 Pour les espaces intérieurs et extérieurs.

- Installation par vis surbase ou piquet.
- Orientable avec optique secondaire au choix.
- Alimentation: 350/500mA
- Câble: 50cm

À CONNECTER EN SÉRIE

*Turned aluminium floodlight with POWER LED.
 It is suitable as accent or service lighting for retails, for gardens and architectural facades.*

It can be installed on indoor or outdoor locations.


- Screw assembly with base or peg.
- Adjustable with choice of secondary optic.
- Power supply: 350/500mA
- Cable: cm. 50

CONNECT IN SERIES



DIMENSIONS / DIMENSIONS

ACCESSOIRES / ACCESSORIES



CODES DE BASE / BASE CODES

FINITIONS / FINISHINGS

FAISCEAU LUMINEUX / LIGHT BEAM

COULEUR LED / LED COLOR

PUISSANCE / POWER

L23.

- 2 Noir / Black
- 7 Aluminium brossé / Satin aluminium

- 15 15°
- 25 25°
- 35 35°

- BN 4000°K
- BC 3000°K
- CC 2700°K
- BL Bleu / Blue
- VE Vert / Green
- RO Rouge / Red

- 3 3x1W - 350mA - 423 lm
- 5 3x2W - 500mA - 528 lm

Exemple de codification : Article DUVAR + Finition aluminium + Faisceau lumineux 15° + Couleur led 4000°K + Puissance 3x1W 350mA = Code : L23.715BN
 Example of codification: Product DUVAR + Finishing aluminium + Light beam 15° + Led color 4000°K + Power 3X1W 350mA = Code: L23.715BN

VERTIGO COB

L14.

Vertigo est un projecteur composé d'une LED COB IRC>90 montée sur un corps en aluminium anodisé, avec réflecteur et verre. Écran en polycarbonate transparent pour la protection contre les agents atmosphériques et le vandalisme; réflecteur disponible avec différents angles.

Facile à installer grâce à une vis et une cheville, aumur ou au plafond.

- Il est particulièrement indiqué pour l'éclairage des magasins,
- Des bâtiments et façades architecturaux et historiques.
- Alimentation: 250mA
- Câble: 50cm

À CONNECTER EN SÉRIE


Turned aluminium floodlight with COB LED CRI>90. It is suitable as main light for retails, architectural facades and garded. It can be installed indoor our outdoor locations.

- Screw assembly with base or peg.
- Adjustable with choice of secondary optic.
- Power supply: 250mA
- Cable: cm 50


CONNECT IN SERIES



DIMENSIONS / DIMENSIONS



ACCESSOIRES / ACCESSORIES



Ballasts (p. 265).
Drivers page 265

CODES DE BASE / BASE CODES

L14.

FINITIONS / FINISHINGS

- 2 Noir / Black
- 7 Aluminium brossé / Satin aluminium

FAISCEAU LUMINEUX / LIGHT BEAM

- 12 12°
- 24 24°

COULEUR LED / LED COLOR

- BN 4000°K
- BC 3000°K
- CC 2700°K

PUISSANCE / POWER

9W - 250mA - CRI>90
982 lm

Exemple de codification : Article VERTIGO COB + Finition aluminium + Faisceau lumineux 12° + Couleur led 4000°K = Code : L14.712BN
Example of codification: Product VERTIGO COB + Finishing aluminium + Light beam 12° + Led color 4000°K = Code: L14.712BN

Projecteur en aluminium tourné avec POWER LED.
Pour l'éclairage de jardins et de façades, et aussi dans les centres commerciaux.

Pour les espaces intérieurs et extérieurs.

- Installation par vis avec étrier.
- Orientable avec optique secondaire au choix.
- Alimentation: 350/500mA
- Câble: 50cm

À CONNECTER EN SÉRIE

Turned aluminium floodlight with POWER LED.

It is suitable as main lighting for retails, for gardens and architectural facades.

It can be installed on indoor or outdoor locations.



- *Screw assembly with bracket.*
- *Adjustable with choice of secondary optic.*
- *Power supply: 350/500mA*
- *Cable: cm. 50*

CONNECT IN SERIES



DIMENSIONS / DIMENSIONS

ACCESSOIRES / ACCESSORIES



Ballasts p. 262-263
Drivers page 262-263

CODES DE BASE / BASE CODES

FINITIONS / FINISHINGS

FAISCEAU LUMINEUX / LIGHT BEAM

COULEUR LED / LED COLOR

PUISSANCE / POWER

L06.

- 2 Noir / Black
- 7 Aluminium brossé / Satin aluminium

- 10 10°
- 35 35°
- 60 60°
- 80 80°

- BN 4000°K
- BC 3000°K
- CC 2700°K
- BL Bleu / Blue
- VE Vert / Green
- RO Rouge / Red

- 3 9x1W - 350mA - 1269 lm
- 5 9x2W - 500mA - 1548 lm

Exemple de codification : Article ZEPPELIN + Finition noir + Faisceau lumineux 10° + couleur led 3000°K + Puissance 9x1W 350mA = Code : **L06.210BC3**
Example of codification: Product ZEPPELIN + Finishing black + Light beam 10° + Led color 3000°K + Power 9X1W 350mA = Code: L06.210BC3

IRON

L36.

Projecteur en aluminium tourné avec LED COB IRC>90. Pour l'éclairage principal dans le commerce de détail, les vitrines, et en extérieur dans des environnements partiellement protégés. Pour les espaces intérieurs et extérieurs.

- Installation par vis avec étrier.
- Orientable avec optique secondaire au choix.
- Alimentation: 200mA
- Câble : 50cm

À CONNECTER EN SÉRIE

Turned aluminium floodlight with COB LED CRI>90.

It is suitable as main lighting for retails, shops, showcases and museums. It can be installed on indoor and outdoor locations.



- *Screw assembly with bracket.*
- *Adjustable with choice of secondary optics.*
- *Power supply: 200mA*
- *Cable: cm. 50*

CONNECT IN SERIES



DIMENSIONS / DIMENSIONS

ACCESSOIRES / ACCESSORIES



Ballasts (p. 265).
Drivers page 265

CODES DE BASE / BASE CODES

FINITIONS / FINISHINGS

FAISCEAU LUMINEUX / LIGHT BEAM

COULEUR LED / LED COLOR

PUISSANCE / POWER

L36.

- 1 Blanc / White
- 2 Noir / Black
- 7 Aluminium brossé / Satin aluminium

- 18 18°
- 28 28°
- 47 47°

- BN 4000°K
- BC 3000°K
- CC 2700°K

200mA - 7 W - 916 lm CRI>90

Exemple de codification : Article IRON + Finition noir + Faisceau lumineux 18° + Couleur led 3000°K = Code : L36.218BC
Example of codification: Product IRON + Finishing black + Light beam 18° + Led color 3000°K = Code: L36.218BC

